

Est. 1968

WHOLESALE MARINE PARTS

FREE 2-DAY SHIPPING

Freight allowance on orders over \$299 across the continental US.

SHIPS SAME DAY

Order by 4 PM and the items will be on their way to you that same day.

PRODUCT EXPERTS

Call on product specialists who have worked in the marine industry on average over 30 years!



PLUS

Buy Now Pay Later With Sezzle | Split Your Entire Order Into 4 Interest-Free Payments



- WHEN YOUR CUSTOMER
- DEMANDS OEM QUALITY
- CALL YOUR MCDURMON
- PARTS PROFESSIONALS
- VOLVO PENTA
- EVINRUDE.
 Johnson.
 GENUINE PARTS

OVER

150,000

Products Availble From Top Marine Brands




























VOLVO PENTA







WE ARE PROUD TO
BE A MASTER PLUS
DISTRIBUTOR FOR SIERRA
MARINE ENGINE AND
DRIVE PARTS. RENOWNED
FOR THEIR QUALITY
AND DEPENDABILITY,
SIERRA SUPPLIES ENGINE
PARTS TO MANY OEM
ENGINE MANUFACTURERS
AND BOAT BUILDERS.
UNCONDITIONALLY BACKED
BY THEIR CUSTOMER
SATISFACTION WARRANTY,
THE BEST IN THE BUSINESS.



EVINRUDE/JOHNSON &
OMC/COBRA ARE AMONG
THE MOST TRUSTED NAMES
IN THE MARINE INDUSTRY.
MCDURMON HAS BEEN
DISTRIBUTING THESE
FINE OEM PRODUCTS FOR
OVER FORTY YEARS AND
RECENTLY HAVE BECOME AN
OFFICIAL BRP DISTRIBUTOR.
WE HAVE WHAT YOU NEED,
WHEN YOU NEED IT, AND AT
PRICES THAT KEEP YOUR
MARGINS HEALTHY.







Hi-Performance Synthetic Blend Lower Unit Gear Lube

Synthetic blended marine formulation reduces operating friction for increased performance, Replaces Mercury (Quicksilver) Hi-Performance Blend, OMC (System Matched) Ultra-HPF Blend, Yamaha (Yamalube) LUB-GEARL-11-00.



Size	Part No.
Quart	18-9680-2
5 Gallon	18-9680-5

Synthetic Gear Lube

Specifically formulated to optimize gear life by reducing friction and providing superior wear protection in severe operating conditions. Replaces Volvo Synthetic Gear Oil.



Description	Part No.
Quart (946ml)	18-9420CAT-2
84 Case Pallet (Qt.)	18-9420CAT-2P
Gallon	18-9420CAT-3



10W-30 Catalyst Engine Oil

Our NMMA FC-W Catalyst Compatible Engine Oils have been specifically designed to meet the unique requirements of modern 4-stroke recreational engines with or without emission catalyst

Approved for all 4-Stroke A including Outboard, Sterndrive and Inboard and exceeds all 4-Stroke requirements including FC-W and FC-W Cat Compatible.

VOLVO PENTA



75W-90 GL-5 Synthetic Gear Oil

Fully synthetic oils are of the highest quality for drives and transmissions. Tested to withstand high temperatures without breaking down.



Size	Part No.
Quart	1141676
Gallon	1141677

80W-90 API GL-5 Gear Oil

Fully synthetic oils are of the highest quality for drives and transmissions. Tested to withstand high temperatures without breaking down.

GEAR OIL

VOLVO PENTA



Size	Part No.
Quart	21681794
Gallon	21681795

SAE 10W40 Synthetic Engine Oil

Special properties lubricate the engine even during low temperature starting. The oil combats sludge build-up and gives excellent protection against wear. Catalytic converter approved.

EVINRUDE. Johnson GENUINE PARTS



XD100[™] synthetic formula oil provides uncompromised lubrication and superior performance. Specifically formulated for Evinrude® E-TEC® direct inject and oil injection outboards. Maximum detergency for reduced combustion deposits.

XD100

EVINRUDE. Johnson. GENUINE PARTS



XD50™ Synthetic Blend

XD50™ is a performance enhanced synthetic blend oil that meets the specific demands of direct injection outboards and 2-cycle outboards that specify TC-W3 certified oils. Reduced smoke for cleaner operation. Contains combustion cleaner to keep carbon in suspension and away from critical engine components.

EVINRUDE. Johnson GENUINE PARTS



XD30™ Premium Formula

XD30™ is formulated for water-cooled 2-cycle outboards that specify TC-W3, API TC, JASO FB certified oils. Minimizes carbon and deposit buildup. Protects against wear with premium lubricity and is approved for pre-mix and oil injection.

EVINRUDE. Johnson GENUINE PARTS

Size	Part No.
1 QT / 0.946 L	779434
1 US gal. / 3.785 L	779435

XPS Marine 5W40 4T Synthetic Blend Oil

FEATURES: Marine formulation with premium anti-corrosion additives. Provides superior engine protection, reduces wear, and resists viscosity and thermal breakdown. Supercharger and catalytic converter compatible.

EVINRUDE. Johnson GENUINE PARTS

Size	Part No.
1 QT / 0.946 L	779440
1 US gal. / 3.785 L	779441

XPS Marine 10W40 4T Synthetic Blend Oil

FEATURES: For use in outboard, inboard, sterndrive, personal watercraft and jet propulsion 4-stroke engine. Marine formulation with premium anti-corrosion additives. Provides superior engine protection, reduces wear, and resists viscosity and thermal breakdown. Exceeds NMMA FC-W engine oil standard. Supercharger and catalytic converter compatible.

EVINRUDE. Johnson **GENUINE PARTS**



1 US gal. / 3.785 L 779439

XPS Marine 10W30 4T Synthetic Blend Oil

FEATURES: For use in sterndrive, inboard and outboard engines. Marine formulation with premium anti-corrosion additives. Provides superior engine protection, reduces wear, and resists viscosity and thermal breakdown. Supercharger and catalytic converter compatible. Meets NMMA FC-W catalyst compatible engine oil standard.

www.mcdurmon.com





5008623

6-Gallon Fuel Tank

Standard features include: quick disconnect fuel fitting; auto one-way venting; built-in fuel gauge; withstands alcohol extended fuels; self-sealing fuel connector; excess fuel line storage; scratch resistant glass fuel lens, built-in fuel cap retainer. Dimensions: 18" L x 12½" W x 10¾" H.



053701-10 Marine Above Deck All-In-One Fuel Tank Combo Package

6.5 Gallon capacity, EPA/CARB approved. 2 Year limited warranty. Applications with 2 prong barb engine fitting: 1998 and newer Mercury, Most Evinrude/Johnson, Most Yamaha outboard engines



Gallons	Without Gauge Part No.	With Gauge Part No.
3	2-8803LP2	2-8803LPG2
6	2-8806LP2	2-8806LPG2

EPA/CARB Compliant Fuel Tanks

Use 3-gallon for small outboards, 6-gallon for any outboard engine. Compatible with $\frac{1}{4}$ " NPT fuel fittings. Ethanol and alcohol compatible. EPA and Carb certified. Low permeation tank virtually eliminates fuel evaporation and fuel loss.



5007420

VRO 4-Wire Replacement Pump

Used on all motors except 2 cylinder 40-50 hp.



Used on 2 cylinder 40-50 hp and 3 cylinder 60TTL.

Note: 1985 and 1986 motors that were never updated to a rubber mounted pump will need conversion kit #175225



The Replacement Lamp


Used to replace 3-wire pumps on all motors except 2 cylinder.

Note: If motor doesn't have wiring for "No Oil Warning", order harness #174710. For CR and CO (1984-85) cross-scavenged V-6 outboards with original pumps (No Oil Warning), will need bracket #331122 to provide clearance for "No Oil Warning", circuitry on new motor.



Oil tank kits come complete with mounting hardware and a 10' supply hose and primer assembly. Return hose is whipped with Evinrude® direct injection engines.

Tank dimensions: 1.8 gallon; 10" L x 7" W x 9" H




QUESTIONS?

McDurmon Parts Professionals are ready to assist you.

https://store.mcdurmon.com/ fuel-systems/







Parts and Accessories

McDurmon Distributing isn't just about propellers. We stock thousands of Volvo Penta engine and drive parts as well:

Lubricants, Oil Filters, Alternators, Starters, **Ignition parts**, You Name It We Stock It.





ALUMINUM **improved performance**





Michigan Wheel's high performance aluminum propeller utilizing XHS® / XHS II® Xchangeable Hub System. Featuring high performance blade geometry, precision balanced blades, high gloss powder coat and interchangeability with the Mercury Flo-Torq® II system, the Vortex® XHS® / XHS II® is a great choice for a replacement or spare propeller for boaters.

STAINLESS **Ultimate Performance**





Apollo® propellers are highly polished, ultimate performance, stainless steel wheels. Apollo® is designed to use Michigan Wheel's XHS® / XHS II® hub system, and is interchangeable with Mercury's Flo-Torq® II hub system.

STAINLESS ULTIMATE PERFORMANCE





High performance stainless steel propellers with the proven Power Tip for peak efficiency, Ballistic is designed to use Michigan Wheel's XHS® / XHS II® hub system. The blade tip and cup combine to improve bite and reduce power losses caused by cavitation. Highly cambered blade sections provide for higher speed and better bow lift.

ALUMINUM PERFECT REPLACEMENT PROPELLER





Every Michigan Match® propeller features a NAVAL brass spindle with a rubber cushioned hub which absorbs impact and the stress caused by shifting gears. The rubber bushing is designed to spin free under significant impact, reducing the potential for lower unit damage. Great primary propeller, yet priced as a weekend-saver spare!



https://store.mcdurmon.com/ michigan-wheel-marine/



Utilizing almost 40 years of race boat and high performance prop design expertise, our Express® Mach3™ series of props captures all the best techniques and technologies available to get the most out of your boat. Aggressive pitch angles, radical designs, sharp cup profiles. These three blade propellers excel at achieving maximum speed, while delivering Best-in-Class handling and acceleration. Hole Shot? Got it, and hang on! Cornering? We've got that, too! Top Speed? We say "No Faster Prop on the Water" for a reason!

Upgrading your current propeller from aluminum to stainless steel, or from an old generation design to the latest technology, Express Mach3 Propeller is the best investment in boat improvement you can make. Today's New Designs will run circles around the competition, and can make dramatic improvements in boat performance. The gain in fuel economy can often pay for the cost of a new propeller in one or two seasons, making it a sound investment in your time on the water. Express Mach3 props are available for 9.9 (Bigfoot) to 300+hp outboards and sterndrives.



Now manufactured in our Industry leading TP17 stainless, the Express Mach4 series is perfect for any application that demands enhanced acceleration, cornering, and load carrying capabilities. This prop series is ideally suited for watersports, sterndrive boats, tri-toons, bay boats, and any vessel that can use stern lift. It is our best upgrade of older stainless designs from the 70's, 80's, 90's, and '00's, and will outrun most newer props, including five blade ski props.



The New Express® Mach3™ OS™ Series of Stainless Steel Propellers are the next step in the evolution of our very popular larger diameter VO series. Our Engineers and Propeller Experts made improvements to the cup, leading and trailing edges, and the aggressive progressive rake and blade geometry that are Turning Point hallmarks. These modifications have produced a propeller with excellent hole shot, impressive bow lift, and class leading cornering. The Express Mach3 OS is perfectly matched to large horsepower bay boats, offshore center consoles, and high horsepower pontoons/tri-toons. It will fit all 90hp and larger 4.75" gearcase outboards from all engine manufacturers, and Mercury® Alpha One™ and Bravo One[™], and Volvo[®] Penta[®] SX sterndrives. Large diameter three blade propellers offer great mid-range fuel economy in many applications. Whether you are looking to maximize your time on the water, extend your cruise range, or just stretch your fuel dollars, the Express Mach3 OS is a great choice to get the most out of your boat.



The Three Blade Hustler is great for boaters looking to get the most top end out of their boat, and offer excellent bow lifting capabilities. Four blade props accelerate faster, exhibit stern lift, handle rough or following seas better, and maintain speed better as you load the boat down with gear or people. Three blade props run better on pontoons, while four blades and three blades both run well on tri-toons (recent testing has shown that pontoons and tri-toons run better with larger blade diameters than runabout or bass boat hulls).

The Huslter 4 blade series is perfect for any application that demands enhanced acceleration, cornering, and load carrying capabilities. This prop series is ideally suited for watersports, sterndrive boats, tri-toons, bay boats, and any vessel that can use stern lift. It is our best upgrade of older aluminum designs from the 70's, 80's, 90's, and '00's, and will outrun most newer props, including five blade ski props.







turning-point/



Mercury blade geometery. Available in aluminium 6-300HP, stainless steel 40-70HP.





Yanta

Yamaha blade geometry. Available in aluminum 2-300HP, stainless steel 150-250HP.



Suzuki blade geometry. Availeble in aluminum 4-300HP, stainless steel 9.9-140HP & 225-300HP.





Stella

Larger blade area and good acceleration. Improved fuel economy at cruising speeds. Ideal replacement for OEM aluminium props. Available in A, B, C, D and E Groups 9.9-225HP. Similar to Solas Rubex NS3, Solas New Saturn, Yamaha Reliance, Mercury Vengeance, Michigan apollo.



StellaPlus

Higher rake and thinner blades. Excelent acceleration and top speed. Best choice for 115-140HP 4-strokes. Similar to Mercury Laser II, Michigan Ballistic.





Saltist

Designed with High-Rake blade geometry. Aggressive acceseration and exellent bow lift. Best choice for 150-200HP. (Performance boats). Similar to Solas Rubex HR3, Solas HR Titan 3, Mercury Enertia, Yamaha Performance 3.



TorqueMaster

4-blade, high-rake, powerful thrust. Excellent performance for stern lift and acceleration. Impressive low speed planing and cruising. Available in stainless steel 115-250HP group. Similar to Solas Rubex HR4, Solas HR Titan 4, Mercury Spitfire X7, Mercury Revolution 4, Yamaha Talon SS4.



Soltiga

Large diameter, deep camber. Modern blade geometry for high and mid-range speeds. Recommended for boats with high power to weight ratios. Soltiga 3 recommended for 200-300HP. Soltiga 3 series is similar to Solas Lexor, Solas Rubex L3, Mercury Mirage Plus, Yamaha Salt Water Series II. Soltiga 4 Series is similar to Solas Rubex L4, Solas Lexor 4, Yamaha HS4, Mercury Revolution 4.

ORDER ONLINE! Visit www.mcdurmon.com for full Product Listing!



Interchangeable Hub Series Poleax Aluminum Propellers

Topellers			
BLADE	DIA x PITCH	ROTATION	PART NUMBER
	MEGARA Series, Group	C 25-70HP 3-1/4 Gea	rcase
3	12 1/4 x 9	RH	3087-3123-09
3	11 1/4 x 10	RH	3087-3113-10
3	10 7/8 x 11	RH	3087-3109-11
3	10 3/4 x 12	RH	3087-3108-12
3	10 5/8 x 12	RH	3087-3107-12
3	10 1/2 x 13	RH	3087-3105-13
3	10 3/8 x 13	RH	3087-3104-13
3	10 3/8 x 14	RH	3087-3104-14
3	10 1/4 x 14	RH	3087-3103-14
3	10 1/8 x 15	RH	3087-3102-15
	Yanta Series, Group C	25-70HP 3-1/4 Geard	case
3	11 3/4 x 10	RH	3187-3118-10
3	11 5/8 x 11	RH	3187-3117-11
3	11 3/8 x 12	RH	3187-3114-12
3	11 1/8 x 13	RH	3187-3112-13
3	11 1/4 x 14	RH	3187-3113-14
3	11 x 15	RH	3187-3110-15
	SEMA Series, Group C	25-70HP 3-1/4 Geard	case
3	11 1/2 x 11	RH	3287-3115-11
3	11 5/8 x 12	RH	3287-3117-12
3	11 1/2 x 13	RH	3287-3115-13
3	11 3/8 x 14	RH	3287-3114-14
3	11 1/4 x 15	RH	3287-3113-15
3	11 1/8 x 16	RH	3287-3112-16
3	11 x 17	RH	3287-3110-17
	MEGARA Series, Group		
4	10.6 x 11	RH	3087-4106-11
4	10.6 x 12	RH	3087-4106-12
4	10.3 x 13	RH	3087-4103-13
4	10.1 x 14	RH	3087-4101-14
4	10.1 x 15	RH	3087-4101-15
	legara VX Series, Group I		
3	14 x 9	RH	4087-3140-09-VX
3	14 x 10	RH	4087-3140-10-VX
3	14 x 11	RH	4087-3140-11-VX
3	14 x 13	RH	4087-3140-13-VX
3	13 3/4 x 15	RH	4087-3138-15-VX
3	13 1/4 x 17	RH	4087-3133-17-VX
3	13 x 19	RH	4087-3130-19-VX
3	12 3/4 x 21	RH	4087-3128-21-VX
N	legara VX Series, Group I		earcase
Put the ring on be	Prop comes w fore installation except	ith spacer ring. for OMC/BRP/JOHNS	ON and 2-St <u>roke Suzuki</u>
	with 13 splir	e tooth shaft	
4	13.8 x 10	RH	4087-4138-10VX
4	13.8 x 11	RH	4087-4138-11VX
4	13.8 x 13	RH	4087-4138-13VX
4	13.4 x 15	RH	4087-4134-15VX
4	13 x 17	RH	4087-4130-17VX
4	12.5 x 19	RH	4087-4125-19VX

Robotic Grinding



BLADE	DIA x PITCH	ROTATION	PART NUMBER
	Yanta Series, Group D, 4		ase
Prop is not suitab	le for OMC/BRP/JOHNSO		ki with 13 spline tooth
3	14 x 9	a ft. RH	4187-3140-09
3	14 x 11	RH	4187-3140-11
3	13 5/8 x 12	RH	4187-3137-12
3	13 5/8 x 13	RH	4187-3137-13
3	13 5/8 x 14	RH	4187-3137-14
3	13 1/2 x 15	RH	4187-3135-15
3	13 1/4 x 17 13 x 19	RH RH	4187-3133-17 4187-3130-19
3	12 5/8 x 21	RH	4187-3127-21
Prop is not suitab	Sema Series, Group D, 4 le for OMC/BRP/JOHNSO	10-140HP 4-1/4 Geard	case
	sh	aft.	
3	14 x 15	RH	4287-3140-15
3	14 x 17	RH	4287-3140-17
3	14 x 19	RH	4287-3140-19
3	14 x 21 14 x 23	RH RH	4287-3140-21 4287-3140-23
3	MEGARA Series, Gro	oup E 115HP & ABOVE	
3	4 3/4" 16 x 11	Gearcase RH	5087-3160-11
3	16 x 13	RH	5087-3160-11
3	14 1/2 x 15	RH	5087-3145-15
3	15 1/4 x 15	RH	5087-3153-15
3	15 x 17	RH	5087-3150-17
3	14 1/2 x 19	RH RH	5087-3145-19
3	14 1/4 x 21 14 x 23	RH	5087-3143-21 5087-3140-23
	SEMA Series, (Group E 115HP	3007-3140-23
3	4 3/4" G	iearcase RH	5287-3160-17
3	16 X 18 1/2	RH	5287-3160-18
3	16 X 20	RH	5287-3160-20
3	16 X 21 1/2	RH	5287-3160-22
3	16 X 23	RH	5287-3160-23
		Group E 115HP iearcase	
3	15 1/4 X 15	RH	5187-3153-15
3	14 1/2 X 17	RH	5187-3145-17
3	14 X 19 13 3/4 X 21	RH RH	5187-3140-19 5187-3138-21
3	SOLTIGA 3 Series	, Group E 115HP	3107-3130-21
3	4 3/4" 6 16 X 17	earcase RH	5287-3160-17
3	16 X 18 1/2	RH	5287-3160-18
3	16 X 20	RH	5287-3160-20
3	16 X 21 1/2	RH	5287-3160-22
3	16 X 23	RH	5287-3160-23
3	16 X 13	RH	5587-3160-13
3	15 3/4 X 15 15 1/2 X 17	LH RH	5587-3158-15 5587-3155-17
3	15 1/2 X 17	LH	5588-3155-17
3	15 1/4 X 19	RH	5587-3153-19
3	15 1/4 X 19	LH	5588-3153-19
3	15 1/4 X 20	RH	5587-3153-20
3	15 1/4 X 20	LH	5588-3153-20
3	15 1/4 X 21 15 1/4 X 21	RH LH	5587-3153-21 5588-3153-21
3	15 1/4 X 23	RH	5587-3153-23
3	15 1/4 X 23	LH	5588-3153-23
		ries, Group E 115HP iearcase	
4	15 X 13	RH	5387-4150-13
4	14 1/2 X 15	RH	5387-4145-15
4	15 X 15	RH	5387-4150-15
4	14 1/2 X 17 14 1/4 X 19	RH RH	5387-4145-17 5387-4143-19
4	14 1/4 A 17	RH	71 - (14 ب- 10در





QDIB Interchangeable Series Propellers

Bushing is installed and can be used with orginal OEM hardware.
Bushing can be removed so prop can be used with interchangeable Hub Kit.

BLADE	DIA x PITCH	ROTATION	PART NUMBER	
Yanta Series, Group D, 40-140HP 4-1/4 Gearcase (Semi Clever Blade) Prop is not suitable for OMC/BRP/JOHNSON and 2-Stroke Suzuki with 13 spline tooth shaft.				
2			4101 3140 00\/	
3	14 x 9	RH	4101-3140-09YA	
3	14 x 11	RH	4101-3140-11YA	
3	13 5/8 x 12	RH	4101-3137-12YA	
3	13 5/8 x 13	RH	4101-3137-13YA	
3	13 5/8 x 14	RH	4101-3137-14YA	
3	13 1/2 x 15	RH	4101-3135-15YA	
3	13 1/4 x 17	RH	4101-3133-17YA	
3	13 x 19	RH	4101-3130-19YA	
3	12 5/8 x 21	RH	4101-3127-21YA	
	YANTA Series	, Dual Thrust		
3	14 x 9	RH	4101-3140-09DTYA	
3	14 x 11	RH	4101-3140-11DTYA	
	Sema Series, Group D, 4			
Prop is not suitable	for OMC/BRP/JOHNSOI		ci with 13 spline tooth	
	sha			
3	14 x 15	RH	4207-3140-15YA	
3	14 x 17	RH	4207-3140-17YA	
3	14 x 19	RH	4207-3140-19YA	
3	14 x 21	RH	4207-3140-21YA	
3	14 x 23	RH	4207-3140-23YA	



Interchangeable Hub Series Poleax Stainless Steel Propellers

BLADE	DIA x PITCH	ROTATION	PART NUMBER
Stella Series, Group C 25-70HP 3-1/4 Gearcase			
3	12 1/4 x 9	RH	3889-3123-09
3	11 1/2 x 11	RH	3889-3115-11
3	11 5/8 x 12	RH	3889-3116-12
3	11 1/2 x 13	RH	3889-3115-13
3	11 3/8 x 14	RH	3889-3114-14
3	11 1/4 x 15	RH	3889-3113-15
	Megara Series, Group C	25-70HP 3-1/4" Gear	case
3	10 7/8 x 11	RH	3089-3109-11
3	10 3/4 x 12	RH	3089-3108-12
3	10 3/8 x 13	RH	3089-3104-13
3	10 3/8 x 14	RH	3089-3104-14
3	10 1/4 x 15	RH	3089-3103-15

Robotic Line





Interchangeable Hub Series Poleax Stainless Steel Propellers

BLADE	DIA x PITCH	ROTATION	PART NUMBER
	Stella VX Series, Group [40-140HP 4-1/4 Gea	nrcase
3	13 3/4 x 13	RH	4889-3138-13
3	13 1/2 x 14	RH	4889-3135-14
3	13 1/2 x 15	RH	4889-3135-15
3	13 1/2 x 16	RH	4889-3135-16
3	13 1/4 x 17	RH	4889-3133-17
3	13 1/4 X 1/ 13 X 19	RH	4889-3130-19
3	13 x 21	RH	4889-3130-19
-	The second secon	****	
	Ila Plus VX Series, Group		
3	13 1/2 x 1 5	RH	4989-3135-15
3	13 1/2 x 1 6	RH	4989-3135-16
3	13 1/2 x 17	RH	4989-3135-17
3	13 1/2 x 18	RH	4989-3135-18
3	13 1/2 x 19	RH	4989-3135-19
3	13 1/2 x 20	RH	4989-3135-20
3	13 1/2 x 21	RH	4989-3135-21
3	13 1/2 x 22	RH	4989-3135-22
	Sema Series, Group D	40-140HP 4-1/4 Geard	ase
3	14 x 15	RH	4289-3140-15
3	14 x 17	RH	4289-3140-17
3	14 x 19	RH	4289-3140-19
3	14 x 21	RH	4289-3140-21
3	14 x 23	RH	4289-3140-23
To	orquemaster Series Grou	p D 40-140HP 4-1/4 G	earcase
4	13 1/2 x 13	RH	4389-4135-13
4	13 1/4 x 15	RH	4389-4133-15
4	13 x 17	RH	4389-4130-17
4	13 x 19	RH	4389-4130-19
4	13 x 21	RH	4389-4130-21
	Yanta Series Group E 90		
3	13 3/4 x 17	RH	5189-3138-17
3	13 3/4 x 17	LH	5186-3138-17
3	13 3/4 x 19	RH	5189-3138-19
3	13 3/4 x 19	LH	5186-3138-19
3	13 3/4 x 21	RH	5189-3138-21
3	13 3/4 x 21	LH	5186-3138-21
3	13 3/4 x 23	RH	5189-3134-23
3	13 3/4 x 23	LH	5186-3134-23
	Stalla Sariac Graun F 90	HP & Above 4-3/4 Gea	rcase
2		DII	E000 3150 15
3	15 x 15	RH	5889-3150-15
3	15 x 15 14 1/2 x 12	RH	5889-3145-12
3	15 x 15 14 1/2 x 12 14 1/2 x 13	RH RH	5889-3145-12 5889-3145-13
3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14	RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14
3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15	RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15
3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16	RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16
3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17	RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17
3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18	RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3143-18
3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19	RH RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3143-18 5889-3140-19
3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21	RH RH RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-21
3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90	RH RH RH RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-21
3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14	RH RH RH RH RH RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3143-18 5889-3140-19 5889-3140-21 arcase 5789-3150-14
3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16	RH RH RH RH RH RH RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3143-18 5889-3140-19 5889-3140-21 arcase 5789-3150-14 5789-3150-14
3 3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16 14 3/4 x 17	RH RH RH RH RH RH RH RH RH RH RH RH RH	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3143-18 5889-3140-19 5889-3140-21 37Case 5789-3150-14 5789-3148-16 5789-3148-17
3 3 3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16 14 3/4 x 17 14 3/4 x 18	RH R	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-21 37Case 5789-3150-14 5789-3148-16 5789-3148-17 5789-3148-18
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16 14 3/4 x 17 14 3/4 x 18	RH R	589-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-19 5889-3140-21 37Case 5789-3150-14 5789-3148-16 5789-3148-17 5789-3148-18 5789-3148-19
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16 14 3/4 x 17 14 3/4 x 18 14 3/4 x 19 14 3/4 x 19 14 3/4 x 20	RH R	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-19 5889-3140-21 37Case 5789-3150-14 5789-3148-16 5789-3148-17 5789-3148-18 5789-3148-19 5789-3148-20
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16 14 3/4 x 17 14 3/4 x 18 14 3/4 x 19 14 3/4 x 19 14 3/4 x 20 14 1/2 x 21	RH R	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-21 37Case 5789-3140-21 37Case 5789-3148-16 5789-3148-17 5789-3148-18 5789-3148-19 5789-3148-20 5789-3145-21
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	15 x 15 14 1/2 x 12 14 1/2 x 13 14 1/2 x 14 14 1/2 x 15 14 1/4 x 16 14 1/4 x 17 14 1/4 x 18 14 x 19 14 x 21 Saltist Series Group E 90 15 x 14 14 3/4 x 16 14 3/4 x 17 14 3/4 x 18 14 3/4 x 19 14 3/4 x 19 14 3/4 x 20	RH R	5889-3145-12 5889-3145-13 5889-3145-14 5889-3145-15 5889-3143-16 5889-3143-17 5889-3140-19 5889-3140-19 5889-3140-21 37Case 5789-3150-14 5789-3148-16 5789-3148-17 5789-3148-18 5789-3148-19 5789-3148-20



Interchangeable Hub Series Poleax Stainless Steel Propellers

BLADE	DIA x PITCH	ROTATION	PART NUMBER
Torqu	emaster Series Group E	90HP & Above 4-3/4	"Gearcase
4	14 1/2 x 14	RH	5389-4145-14
4	14 1/2 x 15	RH	5389-4145-15
4	14 1/2 x 16	RH	5389-4145-16
4	14 1/4 x 17	RH	5389-4143-17
4	14 1/8 x 18	RH	5389-4141-18
4	14 1/8 19	RH	5389-4141-19
4	14 x 20	RH	5389-4140-20
4	14 x 21	RH	5389-4140-21
4	14 x 23	RH	5389-4140-23
4	14 x 25	RH	5389-4140-25
Torquen	naster Plus Series Group	E 90HP & Above 4-3	/4" Gearcase
4	16 x 15	RH	5389-4160-15
4	16 x 15	LH	5386-4160-15
Solti	ga 3 Series Group E+ 1	I5HP & Above, 4-3/4	Gearcase
3	15 3/4 x 13	RH	5589-3158-13
3	15 3/4 x 15	RH	5589-3158-15
3	15 5/8 x 16	RH	5589-3156-16
3	15 1/2 x 17	RH	5589-3155-17
3	15 3/8 x 18	RH	5589-3154-18
3	15 1/4 x 19	RH	5589-3153-19
3	15 1/8 x 20	RH	5589-3151-20
3	15 x 21	RH	5589-3150-21
3	14 7/8 x 22	RH	5589-3149-22
3	14 3/4 x 23	RH	5589-3148-23
3	14 1/2 x 25	RH	5589-3145-25
	ga 4 Series Group E+ 1	· · · · · · · · · · · · · · · · · · ·	
4	15 1/4 x 18	RH	5689-4153-18
4	15 1/4 x 20	RH	5689-4153-20
4	15 1/4 x 22	RH	5689-4153-22
	na Series Group E+ 11		
3	16 x 17	RH	5289-3160-17
3	16 x 18 1/2	RH	5289-3160-19
3	16 x 20	RH	5289-3160-20
3	15 3/4 x 21	RH	5289-3158-21
3	16 x 1 1/2	RH	5289-3160-22
3	16 x 23	RH	5289-3160-23
BLADE	DIA x PITCH	POSITION	PART NUMBER
Mercri	uiser Bravo III/ Yanmar	ZT350 & ZT <u>370, 19 To</u>	oth Spline
4	16 x 18	Front	6816-4160-18
4	16 x 20	Front	6816-4160-20
4	15 3/4 x 22	Front	6816-4160-22
4	15 1/2 x 24	Front	6816-4160-24
4	15 1/2 x 26	Front	6816-4160-26
3	14 3/8 x 18	Rear	6819-3144-18
3	14 3/8 x 20	Rear	6819-3144-20
3	14 1/4 x 22	Rear	6819-3144-22
-			



Rear

Rear

14 x 24

OPIM SS CASTING TECH

Polastorm material R&D technical team uses ASTM A890-4A duplex stainless steel formulation, followed by heat treatment to create tensile strength of 750 Mpa and extreme anti-corrosion.

Polastorm stainless steel propellers all utilize spiral flute exhaust design and the marine industries greatest Interchangeable Hub System with Gearcase Noise Reduction System(GNRS). The best proven designs have been chosen to match specific engines H.P groups with a wide range of propeller pitch choices.









Bravo III Set

6819-3144-24

Bravo III 4 Blades Front / Solid Hub

QPIM aluminum propellers are robitically powder coated with AkzoNobel coating powder. This ensure superior anti-corrosion performance. After 1,000-hour highconcentrate salt spray exposure testing, QPIM aluminum propellers still remain stable and free of corrosion.





Bravo III 3 Blades Rear / Solid Hub

POLAFLEX HUB KITS BRONZE HUB WITH RUBBER BUSHING

POLAFLEX HOD KITS DRONZE HOD WITH RODDER DOSHING			
ENGINE HP	GROUP	BUSH MATERIAL	HUB KIT P/N
BRP/JOHNSON/EVINRUDE POLAFLEX HUB KITS			
"13 tooth spline 3-1/4"" Gearcase 40 & 50 HP (4-Stroke) 1999-05	C 40/50HP	Brass Core & Rubber	F13
13 spline tooth 4 1/4" Gearcase (Large Gearcase) 40-75 HP (Large Gearcase) 1968 & Newer, 85-140 HP 1969 & Newer	D 40-140HP	Brass Core & Rubber	F31
"13 spline tooth 4 1/4"" Gearcase 60 & 70 HP (4-Stroke) 1998 & Newer"	"D 60/70HP"	Brass Core & Rubber	F24
"15 spline tooth 4 1/4"" Gearcase 90 & 115 HP (4-Stroke) 2002-07"	"D 90/115HP"	Brass Core & Rubber	F26
"15 spline tooth 4 1/4"" Gearcase 140 HP (4-Stroke) 2002-07"	"D 140HP"	Brass Core & Rubber	F27
"15 tooth spline 4-3/4""Gearcase 90-300 HP 1991 & Newer"	"E 90-300HP"	Brass Core & Rubber	F32
"15 tooth spline 4-3/4"" Gearcase 90-300 HP 1976-1990"	"E 90-300HP"	Brass Core & Rubber	F33
"15 tooth spline 4-3/4"" Gearcase 200 & 225 HP (4-Stroke) 2004-2005"	"E 200/225HP"	Brass Core & Rubber	F28
#15 tooth spline 4-3/4""Gearcase 150-300 HP G2 Engine 2014 & Newer"	"E 150-300HP"	Brass Core & Rubber	F34
HONDA POLAFLEX HUB KITS			
"13 spline tooth 3 1/4"" Gearcase BF 35 & BF 45 1991 -94, BF 40,50, & 50A 1995 & Newer, BF 60 2010 & Newer"	"C 35-60HP"	Brass Core & Rubber	F14
"15 spline tooth 4 1/4"" Gearcase BFP 60 2010 & Newer, BF 75 & BF 90 1999 & Newer, BF80 & BF100 2013 & Newer. BF115 1998-10, BF 130 1998-04"	"D 60-130HP"	Brass Core & Rubber	F29
"15 spline tooth 4 1/4"" Gearcase BF 75-90hp1995-1998"	"D 75-90HP"	Brass Core & Rubber	F21
"15 tooth spline 4-3/4"" Gearcase BF115D 2011 & Newer, BF 135-250hp 2002 & Newer"	"E 115-250HP"	Brass Core & Rubber	F29
MERCURY POLAFLEX HUB KITS			
13 spline tooth 3 1/4" Gearcase 25hp Bigfoot(4 Stroke)1999-2005; 30hp Bigfoot(4 Stroke)2010-newer 30hp(2&4 Stroke)1994-2005; 30hp(sea Pro/Marathon)1994-newer 35hp1984-1989; 402&500 Models1974-1984 40hp(2&4 stroke/not bigfoot)1977-newer; 40hp(Sea Pro/Marathon)1977-newer 45hp1986-1989; 48hp(Mariner)all years 55hp(Mercury/Sea Pro/Marathon)1995-newer; 50hp(2&4 stroke/not bigfoot)1977-newer 60hp(4 Stroke)(not bigfoot or Sea Pro/Marathon)1978-newer; 60hp(2 stroke)1978-newer 70hp(Model 700)1983; Force40/50hp1995-1998 70hp1991-1995; 75hp1996-1998	"C 25-70HP"	Brass Core & Rubber	F11
"15 spline tooth 4 1/4"" Gearcase 40/50hp(4 stroke/bigfoot)all years; 60hp(4 Stroke/big foot)1995-newer 60hp(Sea Pro/Marathon)1995-newer; 65hp(Model 650-4 Cyl)1961-1970 65hp(Model 650-2 Cyl)1971; 70hp1987-1989 75hp(2&4 Stroke)1984-newer; 75hp(Sea Pro/Marathon)All years 80hp1978-1989; 80hp(Mariner)1978-1983 80hp(Yamaha)1977-1983; 80hp(Model800-2&4 Cyl)1977 80hp(Model850-2&4 Cyl)1977; 90hp(2&4 Stroke)1978-newer 100hp1988-newer; 115hp(2&4 stroke)1978-newer 125hp1994-newer; 140hp(Including Sea Pro/Offshore)1978-1981 Models 900-15001977; Force 75hp99-newer; Force90/120/150hp1995-newer	"D 40-140HP"	Brass Core & Rubber	F21 M21
"15 splinetooth 4-3/4""Gearcase 90, 100,115HP Command Thrust2014 & Newer; 135 HP1987-Newer 150 HP1978-Newer; 175 HP1978-Newer; 200 HP 1978-Newer 220 HP1987-1988; 225 HP 1980-Newer; 225 HP(SeaPro/Marathon)All Years 250-400 HP (2 and 4 Stroke)1990-Newer; 3.4 Litre1984-1986 MERCRUISER STERNDRIVE, MODELS 1S,1B,1C1982; MODELS 120,140,145 DTS1982; MODELS 165,228,470,485,888,8981982 MODELS 225S,233,255TRS,260,280TS,330TRS1982; MERCRUISER 120-260HP1983-1985 ALPHA ONE DRIVE (GEN.1&GEN.2 ALL MOTORS&HP) BRAVO ONE DRIVE (BRAVO ONE &BRAVO ONE X DRIVES ONLY)	"E 90CT-400HP"	Brass Core & Rubber	F21

ORDER ONLINE! Visit www.mcdurmon.com for full Product Listing!



POLAFLEX HUB KITS BRONZE HUB WITH RUBBER BUSHING



Intended for PolaStorm propellers, these kits will also fit, Solas, Michigan, and Mercury

ENGINE HP	GROUP	BUSH MATERIAL	HUB KIT
	droup	DOSH WATERIAL	P/N
MERCURY POLAFLEX HUB KITS Models with 1 1/4" engine shaft; 19 spline tooth	E+	Stainless Core & Rubber	F51
NISSAN & TOHATSU POLAFLEX HUB KITS		James Cole & Hannel	131
"13 tooth spline 3-1/4"" Gearcase 35 HP (35B only) Thru 1984,40 HP 1984 & Newer, 50 HP (All except 50C) 1992 & Newer"	"C 35-50HP"	Brass Core & Rubber	F15
"15 spline tooth 4 1/4"" Gearcase 60-140 HP (except 60A, 70Af & 70B) 1987 & Newer; MFS75A-115A 2020 & Newer"	"D 60-140HP"	Brass Core & Rubber	F30
"15 tooth spline 4-3/4"" Gearcase BFT115-250 HP 2014 &Newer"	"E 115-250HP"	Brass Core & Rubber	F29
OMC/COBRA STERNDRIVE POLAFLEX HUB KITS			
"13 tooth spline 4-1/4"" Gearcase Model 400 Cobra 1978-1991"	D	Brass Core & Rubber	F31
"15 tooth spline 4-3/4"" Gearcase Model 800/Cobra/King Cobra 1978-1990"	E	Brass Core & Rubber	F33
"15 tooth spline 4-3/4"" Gearcase Model 800/Cobra/King Cobra 1991-1994"	E	Brass Core & Rubber	F32
"19 tooth spline 4-3/4"" Gearcase Cobra SX 1994-Newer"	E	Brass Core & Rubber	F42
SUZUKI POLAFLEX HUB KITS			
"13 spline tooth 3-1/4"" Gearcase DT 35C 1987-89, DT 40 1983-98z DF 40 & DF 50 (4-Stroke) 1999-10, DF 40A & DF 50A (4-Stroke) 2011 & Newer, DT 50 & 50M 1983-84, DT 55 1985-97, DT 60 1983-84, DF 60A (4-Stroke) 2010 & Newer, DT 65 1985-97"	"C 35-65HP"	Brass Core & Rubber	F13
"13 spline tooth 4 1/4"" Gearcase DF 60 (4-Stroke) 1998-09, DF 70 (4-Stroke) 1998-08, DT 75-140 HP 1979-01"	"D 60-140HP"	Brass Core & Rubber	F24
"15 spline tooth 4 1/4"" Gearcase DF70A/DF80A/DF90A(4 Stroke)2009-present"	"D DF70-90HP"	Brass Core & Rubber	F25
"15 spline tooth 4 1/4"" Gearcase DF90(4 Stroke)2001-2008;; DF100(4 Stroke)2009-present; DF115(4 Stroke)2001-2012"	"D DF90-115HP"	Brass Core & Rubber	F26
"15 spline tooth 4 1/4"" Gearcase DF115A&140A(4-stroke)2013-present; DF140(4-stroke)2002-2012"	"D DF115-140HP"	Brass Core & Rubber	F27
"15 tooth spline 4-3/4"" Gearcase DT150-225hp(2 stroke)1986-present; DF150-300hp(4 stroke)All years"	"E 150-300HP"	Brass Core & Rubber	F28
YAMAHA POLAFLEX HUB KITS			
"13 spline tooth 3-1/2"" Gearcase T25 HP2010-2018, F30 (4-Stroke) 2001 -05, F40 (4-Stroke) 1999& Newer, F50 (4-Stroke) 1995 & Newer, F60 (4-Stroke) 1999 & Newer, 40 HP & 50 HP (not T50) 1984 & Newer, 48 HP 1995-00,55 HP 1976-95,60 HP 1976-91 (not T60)"	"C 25-60HP"	Brass Core & Rubber	F12
"15 spline tooth 4 1/4"" Gearcase T50 1996 & Newer, T60 2003 & Newer, 60 HP (not F60) 1992-05, 70-100 HP (not F75B, F90B & F100B) 1984 & Newer"	"D 50-100HP"	Brass Core & Rubber	F22
"15 spline tooth 4 1/4"" Gearcase 80-140 hp1977-1983"	"D 80-140HP"	Brass Core & Rubber	F21
"15 spline tooth 4 1/4"" Gearcase F75B & F90B &F100B/115 HP & 130 HP 1984 & Newer, FI 15 (4-Stroke) 2000 & Newer"	"D 75-130HP"	Brass Core & Rubber	F23
"15 tooth spline 4-3/4"" Gearcase 150-175HP1978-1983"	"E 150-175HP"	Brass Core & Rubber	F21
"15 tooth spline 4-3/4"" Gearcase 150-225 HP 1984 & Newer; 250 HP 1984 & Newer, 15 tooth spline; 300 HP (4 Stroke V6 Engine) 2004-2007 & 2010 & Newer; Sterndrives 1989-1993; 200-250 HP VMAX SHO V6"	"E 150-300HP"	Brass Core & Rubber	F23
"17 tooth spline 5-1/4"" Gearcase 300 HP (4-stroke V8 Engine); 350 HP (4-stroke V8 Engine)"	"E+ 300/350HP"	Brass Core & Rubber	F41
VOLVO POLAFLEX HUB KITS			
"19 tooth spline 4-3/4"" Gearcase SX Sterndrives 1994-Newer"	E	Brass Core & Rubber	F42



Hub Kit

For Evinrude/Johnson V6, 15 spline outboards and OMC 800, Cobra and King Cobra outdrives. Kit includes torsion sleeve (#128572), drive spline (#177282) and thrust washer (#128740).

Replacement Parts for Hub Kit 1//283			
Part Name	Part No.		
Torsion Sleeve	128572		
Drive Spline	177282		
Thrust Washer	128777		
177283			

TBX™ Hub System

Multiple piece propeller hub system from Evinrude and Johnson





177288 Hub Kit

For Honda, Mercury, Suzuki and Yamaha V6 outboards.









EliminateHub Cracking and Failure

Glass reinforced high-tech polymer construction increase flexibility, eliminating material stress and fracture.









Michigan XHS Hub Kits

XHS exchangeable hub kit have a Delrin cushioned sleeve that absorbs impact and stress caused by shifting gears and is designed to spin under significant impact to protect your lower end unit.











Rubber replacement for Mercury Reflex Hub

F11

Rubber Replacement for Reflex


PolaFlex high quality propeller bushes are constructed from rubber (not plastic) to aid softer shifting into gear, reduce vibration and improve impact deflection. Polaflex F11 Rubber hub for Mercury small gearcase 30-60 HP. Reduces gearcase noise and cushions shift dog to gear impact.

McDurmon Stocks All of Your Propeller and Skeg Repair Supplies



The bilge of your boat is no place for water. Rely on quality bilge pumps

and washdown pumps from McDurmon to keep your boat afloat.







Description	Part No.	Diameter
12V, 120 CFM Open Flow, Amp Draw 1.5, Fuse size 3Amp.	053710-10	3"
12V, 230 CFM Open Flow, Amp Draw 1.5, Fuse size 5Amp.	053715-10	4"

12V In-Line Blowers







G	PH @ Open Flow	Dimensions	Part No.
	500	35/8" H x 23/4" W x 3/4" Outlet Nozzle	ATT4606-7
	800	43/8" H x 31/8" W x 3/4" Outlet Nozzle	ATT4608-7
	1200	4%"H x 3%" W x 11/8" Outlet Nozzle	ATT4612-7

Tsunami Bilge Pump

Circulates water around the pump motor housing, helping to absorb the heat given off by the operating motor. Features one-hand access, watertight seals and waterproof wiring. Cartridges are replaceable





Model	GPH @ Open Flow	Inlet Length & Dia.	Outlet Style & Dia.	Rated Voltage	Wire/ Connector	Part No.
T500	500	3½" L x ¾"	Threaded ¾"	12	36" wire	ATT4640-7
T800	800	3½" L x ¾"	Threaded ¾"	12	36" wire	ATT4650-7
T1200	1200	3½" L x 1½"	Threaded 11/8"	12	36" wire	ATT4660-7

Tsunami Aerator Pump

Moves more water and oxygen into livewell tanks to keep fish active. Features cooler-running motors, premium materials, watertight seals and waterproof wiring. Cartridges are replaceable and interchangeable. No mounting brackets necessary. 3 year warranty.

M•**ELLER**





Dimensions	Part No.
Cartridge Bilge Pump 500 GPH 12V- Straight	053030-10
Cartridge Bilge Pump 500 GPH 12V-90°	053035-10

Cartridge Aerator Pump

Livewell pumps in 50 GPH capacity with 2 different intake configurations, straight and 90°. Smaller profiles to fit in more confined spaces. Easy to change motor cartridge. The pumps are delivered including both a straight and 90° smooth elbow Dura port



053025-10 Cartridge Bilge Pump & Float Switch Combo

Easy to clean pump has a water cooled motor. Packed with a rolling ball float switch that activates your pump. Prewired for automatic operation with manual override.



Model **S500**

S750

·Fast, Easy Installation ·High-Efficiency Motor ·Dependable Internal Float Switch

	GPH @ Open	GPH@	Amp Draw @ Open	Rated	Hose	Wire/	2.41
Description	Flow	3.3 ft.	Flow	Voltage	Size	Connector	Part No.
Suitable for most jobs	500	350	1.2	12	¾" I.D.	36" wire	ATT4505-7
For larger recreational boats	750	625	2.5	12	¾" I.D.	36" wire	ATT4507-7
Most powerful and efficient pump. High capacity for larger boats and yachts.	1100	973	3.4	12	1%" I.D.	36" wire	ATT4511-7

MERCURY-FREE! DOES NOT HARM THE **ENVIRONMENT!** Sahara

Sahara Automatic Bilge Pumps

Sahara Bilge Pumps include 36" lengths of 16-gauge tinned copper wire. Wire is caulked to prevent water from wicking through insulation jacket. Permanent-magnet motor, stainless steel shaft, and steelreinforced seal assure powerful, durable performance. All models backed by Attwood's 3-year warranty.

www.mcdurmon.com

ORDER ONLINE! Visit www.mcdurmon.com for full Product Listing!



Oil Extractor

A reliable and efficient method for removing fluids from most any engine, transmission, differential, transfer case or gearbox. A shop air supply at approximately 100 psi at 15 CFM is all that is required to create a vacuum. Six-gallon tank capacity on wheels for easy mobility. Unit empties manually. Twenty-one gallon unit is selfevacuating by pressurizing tank with approximately 10 psi. Comes with a set of 6 flexible probes, 12' suction hose and 6' discharge hose. Not for use with flammable or explosive fluids.



Fluid Extractor

Designed to handle larger fluid extraction applications with ease. Suitable for most forms of fluid extractions (not for use with gasoline). Dual action vacuum pump works with both the upstroke and downstroke. Extracts warm or cold oil. No electric or air power required. Automatic shut-off float eliminates overflow.



Gearcase Filler

Replaces 551-33GF and S33 gearcase fillers. Translucent plastic container allows you to check tank oil level. Sturdy tear-drop design resists tipping over. Includes the check valve venting system. The check valve on the vent allows you to remove the filler nozzle without losing any appreciable amount of lubricant. Includes 551-33CV check valve assembly and 551-33HA replacement hose assembly.



Battery Powered Fuel Transfer Pump

Eliminates the lifting of large, heavy, gas cans and spilling wasted fuel. This exclusive design make transferring fuel to lawn mowers, tractors, cars, boats, leaf blowers, and more, painless and hassle free. Comes with 3 different sized adaptors, allowing your new gas pump to fit most North American fuel cans. Compatible Liquids: Gas, Diesel, Kerosene, Light Oil | Major Materials: Polypropylene, Polyethylene, Polyacetal | Discharge Hose: 3.25 FT | Flux: 3 Gallons



Description	Part No.
Gearcase Filler Pump	10010M
Replacement Hose	900259-V1
5 Gallon Drum Dolly	950007
55 Gallon Drum Dolly	
Adjustable band accommodates drum diameter	950008

Gearcase Filler Pump

Fits 5 gallon bucket. Lube and dolly (Part #950007) not included.

variations



18-9900 **Digital Compression Tester**

For testing compression on gasoline powered engines. Stores max compression value for up to 12 cylinders. Backlit LCD Display. Auto Shutoff. Sealed and Vibration protected. Displays values in PSI, Bar, and kPa. Fits many outboard, inboard, PWC, ATV, recreational gasoline engines



Universal Metal Motor Flusher

Flushes away salt, sand, silt, and alkali to prevent clogging and corrosion. Attaches to garden hose. Self-adjusting clamping yoke fits most I/O's and outboards



3-521500-1 **Motor Flush**

Molded PVC/Painted Steel.





Inboard Motor Flusher

Molded Rubber/Aluminum.





ATT11370

Prop Wrench Kit

Offers multiple sockets to fit from 17/32 inch to 1-1/4 inch, allowing consumers to service multiple props.

VOLVO



3855516 **Prop Wrench Kit**

For replacing Duoprop® D & F Series thru-hub exhaust propellers. Contains: (1) wrench #3851615 and (1) 30 mm socket wrench.





3133B **Prop Puller** Puller only





30-2429 **Prop Master Propeller Stop**

Safe and simple to use. Securely holds props during changing...

Maintaining your boat against the harsh marine environment requires nothing but the best in cleaning and UV protection. Our maintenance products are ECO friendly and safe for use in all environments.

https://store.mcdurmon.com/





8-09023 **Marine Vinyl Conditioner** and Protector

Gel formula provides durable protection in exterior and interior applications and gives you better application control than liquids. A little bit goes a long way. 8 oz. gel.



Amazing Armor

Non-greasy formula protects, conditions, and shines vinyl, leather, rubber, and plastic. Guards against ozone, ultraviolet rays, and oxygen destruction that cracks and hardens





8-16904 Marine Vinyl Cleaner and Restorer

Cleans, shines, conditions and protects vinyl, rubber and plastic surfaces. Deep cleans dirt and grime, enhances appearance. Restores natural sheen and protects surfaces. Fresh lemon scent. 15 fl. oz.



Size	Part No.
16 oz.	M01205
32 oz.	M01292
Gallon	M01209
5 Gallon	M01215

H20 Repel

Repels wetness, stains, and grime. Keeps fabrics dry, looking new, flexible, and breathable. Odorless, fast-drying formula will not discolor. One application provides moisture barrier that lasts for months. Use on carpet, upholstery, canvas, fabrics, and leather



Size	Part No.
32 oz.	M01707
Gallon	M01709
5 Gallon	M01715

Kleen Waste

Holding tank treatment. Deodorizes, cleans lines, and breaks down waste and tissue. Effective in black and grey tanks. Formaldehyde free. Safe for septic systems and can be used to clean and deodorize holding tanks, boat head, drains, disposals, and bilges.





8-14003

Scotchgard Spot Remover and Upholstery Cleaner

Releases both oil and water-based soils from carpet and upholstery. Aerosol foam is sprayed directly on spot with minimum of over spray. Requires no rinsing. Wipe or blot area with a clean absorbent cloth.

17 oz aerosol can





Black Streak Remover

A multi-purpose degreaser removes grease, black streaks, scuff marks, oil stains, and carbon deposits with minimum effort. No rinsing needed. Use on fiberglass, clear coat, engines, chrome, and stainless steel.



Size	Part No.
4 oz.	M00803
16 oz.	M00805

Polish & Sealant

Unique, non-abrasive formula that bonds itself to the finish of your boat and creates a tough protective shield against salt, acid rain, bird hits, bug residue, and UV rays. Apply to exterior windshield and water will bead up and roll off.



Size	Part No.
16 oz.	M00905
32 oz.	M00907
Gallon	M00909
5 Gallon	M00915

Qwik Shine

Spray on, wipe off. Cleans and shines giving the gloss protection of a polish in a fraction of the time. Easy way to quickly remove dust, smudges, bird hits, and water spots. Use on boats, fiberglass, paints, clear coat, metals, chrome, leather, rubber, finished wood.



Size	Part No.
16 oz.	M00305
32 oz.	M00307
Gallon	M00309
5 Gallon	M00315

Amazing Cleaner

Instantly lifts dirt and removes stains from vinyl, leather, carpet, canvas, and fabric. Contains specialized enzymes to break down insect debris and deter the growth of mold and mildew.



Kleen Wash

Highly Concentrated RV/Marine/Auto/ Powersports Wash that will remove Black Streaks leaving behind a UV Protection and Shine



Step One Aluminum Cleaner

Clean and deoxidize aluminum and metal. Aluminum Acid Wash. Foaming aluminum acid wash and brightener. Concentrated, commercial cleaner. Biodegradable. 5 Gallon



Kleen Wash

Highly Concentrated RV/Marine/Auto/ Powersports Wash that will remove Black Streaks leaving behind a UV Protection and Shine.



Hull Cleaner & Fiberglass

Dissolves and removes chalking, algae, rust, scale, lime, corrosion, soap scum, oxidation, yellow stains, and most water minerals from fiberglass. Easily removes built up mineral deposits on outdrives and thru-hull exhaust.

ORDER ONLINE! Visit www.mcdurmon.com for full Product Listing!



Oil Extractor

A reliable and efficient method for removing fluids from most any engine, transmission, differential, transfer case or gearbox. A shop air supply at approximately 100 psi at 15 CFM is all that is required to create a vacuum. Six-gallon tank capacity on wheels for easy mobility. Unit empties manually. Twenty-one gallon unit is selfevacuating by pressurizing tank with approximately 10 psi. Comes with a set of 6 flexible probes, 12' suction hose and 6' discharge hose. Not for use with flammable or explosive fluids.



Fluid Extractor

Designed to handle larger fluid extraction applications with ease. Suitable for most forms of fluid extractions (not for use with gasoline). Dual action vacuum pump works with both the upstroke and downstroke. Extracts warm or cold oil. No electric or air power required. Automatic shut-off float eliminates overflow.



551-33-1 **Gearcase Filler**

Replaces 551-33GF and S33 gearcase fillers. Translucent plastic container allows you to check tank oil level. Sturdy tear-drop design resists tipping over. Includes the check valve venting system. The check valve on the vent allows you to remove the filler nozzle without losing any appreciable amount of lubricant. Includes 551-33CV check valve assembly and 551-33HA replacement hose assembly.



Battery Powered Fuel Transfer Pump

Eliminates the lifting of large, heavy, gas cans and spilling wasted fuel. This exclusive design make transferring fuel to lawn mowers, tractors, cars, boats, leaf blowers, and more, painless and hassle free. Comes with 3 different sized adaptors, allowing your new gas pump to fit most North American fuel cans. Compatible Liquids: Gas, Diesel, Kerosene, Light Oil | Major Materials: Polypropylene, Polyethylene, Polyacetal | Discharge Hose: 3.25 FT | Flux: 3 Gallons



Part No.	Description
10010M	Gearcase Filler Pump
900259-V1	Replacement Hose
950007	5 Gallon Drum Dolly
	55 Gallon Drum Dolly
eter 950008	Adjustable band accommodates drum diameter

Gearcase Filler Pump


Fits 5 gallon bucket. Lube and dolly (Part #950007) not included.

variations



18-9900 **Digital Compression Tester**

For testing compression on gasoline powered engines. Stores max compression value for up to 12 cylinders. Backlit LCD Display. Auto Shutoff. Sealed and Vibration protected. Displays values in PSI, Bar, and kPa. Fits many outboard, inboard, PWC, ATV, recreational gasoline engines



Universal Metal Motor Flusher

Flushes away salt, sand, silt, and alkali to prevent clogging and corrosion. Attaches to garden hose. Self-adjusting clamping yoke fits most I/O's and outboards



3-521500-1 **Motor Flush**

Molded PVC/Painted Steel.



Fits most engines up to 115 H.P.



3-521550-1 **Inboard Motor Flusher**

Molded Rubber/Aluminum.





Prop Wrench Kit

Offers multiple sockets to fit from 17/32 inch to 1-1/4 inch, allowing consumers to service multiple props.





3855516 **Prop Wrench Kit**

For replacing Duoprop® D & F Series thru-hub exhaust propellers. Contains: (1) wrench #3851615 and (1) 30 mm socket wrench.





3133B **Prop Puller** Puller only



30-2429 **Prop Master Propeller Stop** Safe and simple to use. Securely holds props

during changing.

Color	Spool Length	16AWG/1mm ²	14AWG/1mm ²
Black	100'	1-102010	1-104010
	250'	1-102025	
Dark Blue	100'	1-102110	1-104110
Brown	100'	1-102210	
Green	100'	1-102310	
Grey	100'	1-102410	1-104410
Orange	100'	1-102510	1-104510
Purple	100'	1-102710	1-104710
Red	100'	1-102810	1-104810
	250'	1-102825	
White	100'	1-102910	1-104910
Yellow	100'	1-103010	1-105010

UL 1426 Tinned Boat Cable



Color	Spool Length	Part No.
Black	100'	1-106010
Red	25'	1-106802
	100'	1-106810
Yellow	100'	1-107010

12AWG/3mm² **UL 1426 Tinned Boat Cable**



10AWG/5mm² **UL 1426 Tinned Boat Cable**

Size	Length	Black	Red
8	25'	1-111002	1-111502
	100'	1-111010	1-111510
6	25'	1-112002	1-112502
	50'	1-112005	1-112505
4	25'	1-113002A	1-113502
	50'	1-113005	1-113505
	100'	1-113010	1-113510
2/0	25'		1-117502

AWG Battery Cable UL 1426 Tinned Boat Cable



able Size	Length	Stud Size	Black	Red
4	18"	3/8"	1-189130	
	32"	3/8"	1-189134	1-189135
	48"	3/8"	1-189136	1-189137
2	18"	3/8"	1-189140	1-189141
	32"	3/8"	1-189144	1-189145
	48"	3/8"	1-189146	1-189147

Premium Battery Cable Assemblies

UL 1426 Tinned Boat Cable





Cable Range	Screw Size	Qty/ Pkg	Part No.	Cable Range	Screw Size	Qty/ Pkg	Part No.
8	#10	2	1-252233	4	1/4"	25	1-242254
	1/4"	2	1-252234		5/16"	2	1-252255
	1/4"	25	1-242234		5/16"	25	1-242255
	5/16"	2	1-252235		3/8"	2	1-252256
	5/16"	25	1-242235		3/8"	25	1-242256
	3/8"	2	1-252236	2	5/16"	2	1-252265
	3/8"	25	1-242236		5/16"	25	1-242265
6	1/4"	2	1-252244		3/8"	2	1-252266
	1/4"	25	1-242244		3/8"	25	1-242266
	5/16"	2	1-252245	1	5/16"	2	1-252275
	5/16"	25	1-242245		3/8"	2	1-252276
	3/8"	2	1-252246	1/0	5/16"	2	1-252285
	3/8"	25	1-242246	2/0	5/16"	2	1-252295

Heavy Duty Lugs

 $Ancor\,Marine\,Grade^{\text{\scriptsize{TM}}}\,lugs\,are\,\,manufactured\,\,from\,\,heavy\,\,duty\,\,annealed\,\,tinned\,\,copper,\,providing\,\,for\,\,degrades are manufactured\,\,from\,\,heavy\,\,duty\,$ maximum current flow.



Part No.	Qty/Pkg	Wire Range
1-210161	25	22-18
1-220161	100	
1-210162	25	16-14
1-220162	100	
1-210163	25	12-10
1-220163	100	

Butt Connectors

Nylon insulated with insulation grip. Double crimp, funnel entry UL 486C.



	ODUCTS	MARINE GRADETM PR
g P	Qty/Pkg	Wire Range
1.	25	22-18
1.	100	

Wire Range	Qty/Pkg	Part No.
22-18	25	1-309025
	100	1-309099
16-14	3	1-309103
	25	1-309125
	100	1-309199
12-10	25	1-309225
	100	1-309299

Adhesive Lined Heat Shrink Butt Connectors

UL 486C



www.mcdurmon.com

ORDER ONLINE! Visit www.mcdurmon.com for full Product Listing!



NOCO

Start Dead Batteries

GBX45

NOCO Boost X GBX45 1250A 12V UltraSafe Portable Lithium Jump Starter

Car Battery Booster Pack, USB-C Powerbank Charger, And Jumper Cables For Up To 6.5-Liter Gas And 4.0-Liter Diesel Engines.

Here's What You Get With Boost X - GBX45 UltraSafe Portable Lithium Car Battery Booster Jump Starter Pack and Power Bank with 60W USB-C Power Delivery, Heavy-Duty Jumper Cable Clamps, USB-C Charging Cable, Microfiber Storage Bag, 1-Year Warranty, and Designed in the USA.

GBX55

NOCO Boost X GBX55 1750A 12V UltraSafe Portable Lithium Jump Starter

Car Battery Booster Pack, USB-C Powerbank Charger, And Jumper Cables For Up To 7.5-Liter Gas And 5.0-Liter Diesel Engines.

Here's What You Get With Boost X - GBX55 UltraSafe Portable Lithium Car Battery Booster Jump Starter Pack and Power Bank with 60W USB-C Power Delivery, Heavy-Duty Jumper Cable Clamps, USB-C Charging Cable, Microfiber Storage Bag, 1-Year Warranty, and Designed in the USA.

GBX75

NOCO Boost X GBX75 2500A 12V UltraSafe Portable Lithium Jump Starter

Car Battery Booster Pack, USB-C Powerbank Charger, And Jumper Cables For Up To 8.5-Liter Gas And 6.5-Liter Diesel Engines.

Here's what you get with the all-new Boost X: GBX75 UltraSafe Portable Lithium Car Battery Booster Jump Starter Pack, Power Bank with 60W USB-C Power Delivery, Heavy-Duty Jumper Cable Clamps, USB-C Charging Cable, 12V USB-C Fast Charger, Microfiber Storage Bag, 1-Year Warranty, and Designed in the USA.

GBX155

NOCO Boost X GBX155 4250A 12V UltraSafe Portable Lithium Jump Starter

Car Battery Booster Pack, USB-C Powerbank Charger, And Jumper Cables For Up To 10.0-Liter Gas And 8.0-Liter Diesel Engines.

Here's What You Get With Boost X - GBX155 UltraSafe Portable Lithium Car Battery Booster Jump Starter Pack and Power Bank with 60W USB-C Power Delivery, Heavy-Duty Jumper Cable Clamps, USB-C Charging Cable, 12V USB-C Fast Charger, Microfiber Storage Bag, 1-Year Warranty, and Designed in the USA.

GBC014 Rugged Storage

Designed and made exclusively to fit Boost UltraSafe® Jump Starters.

The lightweight, durable, and rugged GBC014 EVA Protective Case has a semi-rigid custom exterior with zipper closures and a reinforced handle. The rubberized EVA exterior offers protection from moisture, impact, dust, and other environmental factors, while the molded interior perfectly fits, stores, and protects its corresponding NOCO® Boost jump starter, the GB70.

GBC017

Rugged Storage

Designed and made exclusively to fit Boost UltraSafe® Jump Starters. The lightweight, durable, and rugged GBC017 EVA Protective Case has a semi-rigid custom exterior with zipper closures and a reinforced handle. The rubberized EVA exterior offers protection from moisture, impact, dust, and other environmental factors, while the molded interior perfectly fits, stores, and protects its corresponding NOCO® Boost jump starter, the GB50.













Smart Battery Chargers

GENPRO10X1

1-Amp Battery Charger, Battery Maintainer, and Battery Desulfator

Introducing the all-new GENIUS1, one of our most powerful, highest-performing, energy-efficient, and compact chargers yet. The GENIUS1 is a 6-volt and 12-volt battery charger, battery maintainer, and battery desulfator rated at 1-amp for lead-acid automotive, marine, and deep-cycle batteries, including flooded, gel, AGM, and maintenance-free, plus lithium-ion batteries.

GENIUS2X2

2-Bank, 4-Amp Battery Charger, Battery Maintainer, and Battery Desulfator

Introducing the all-new GENIUS2X2, making it one of our most powerful, highest-performing, energyefficient, and compact charger yet. The GENIUS2X2 is a 6-volt and 12-volt two-bank battery charger, battery maintainer, trickle charger, and battery desulfator. It's rated at 4-amps (2-amps per bank) for all types of lead-acid and lithium-ion batteries, including flooded, gel, and AGM, as well as marine and deep-cycle batteries.

GENPRO10X3

The GENPRO10X3 is a 12-volt three bank battery charger, battery maintainer, trickle charger, and battery desulfator. It is rated at 30-amps (10-AMPS PER BANK), fully automatic, 100% waterproof meant for GENPRO10X3 is built and meant for extreme conditions. This charger is a three-bank onboard battery charger rated at 30-amps (10-amps per bank) for 12-volt batteries, including marine, boat, starter, and deep-cycle batteries. Independently charge and control each battery bank with selectable charging modes - including 12V, 12V AGM, 12V Lithium, and 12V Repair Mode - for all types of lead-acid and lithium-ion

GENPRO10X4

Meet the all-new GENPRO10X4 - Similar to our GEN4, only better. It's 10% smaller and delivers 33% more power. It's one of the best performing onboard marine battery chargers we have ever made. NOCO Genius 4-Bank, 40-Amp (10-Amp Per Bank) Fully-Automatic Smart Marine Charger, 12V Onboard Battery Charger, Battery Maintainer And Battery Desulfator With Temperature Compensation

All On-Board Battery Chargers safely charges all types of lead-acid batteries, including Wet Cell, Gel Cell, Calcium, AGM, Enhanced Flooded Battery or any Maintenance-Free Battery. 100% completely sealed and waterproof to protect against the most extreme environments and rated at IP68. ETL approved, including ISO 8846 marine standards and ignition protected (US Coast Guard 33 CFR 183.410).

GCP1

AC Port Plug With Extension Cord

An AC Port Plug with an integrated extension cord (16") that offers optimal flexibility and ease of installation. It can mount to the exterior of any vehicle to make the charging port accessible in a more convenient location. Peak performance rated at 13 amperes, 125 volts. Integrated extension cable (16") requires no cable modification. Easy installation (2" hole size) with a watertight seal and snap-fit cap. Fullsized AC prongs for maximum conductivity. Ultimate flexibility makes it perfect for engine block heaters, battery chargers.













www.mcdurmon.com



Pontoon Bimini Kits

Fit 8' wide pontoon boats with a 1-1/4" railing and are available in 8' and 10' lengths.

All tops measure 8' long and 56" tall.

Four-bow bright dip anodized aluminum frame has a 1-1/4" square aluminum tubing for a sturdy and taut cover.

Choose from seven fabric colors in a durable 100% solution-dyed polyester, 6.25 oz/sq. yard.

Fabric includes a stern light cut-out.

Kit includes frame, fabric, storage boot, aluminum hardware and stainless-steel fittings.

Frame is a 'knock-down' style.





Our bimini top cover is crafted using top-performing materials, from the marine-grade fabrics to the tough frames

Pacific Blue

Secure fit Anodized aluminum frame

FEATURES & BENEFITS

1-1/4" square aluminum tubing for a sturdy and taut cover and front and back metal stanchions for added stability in high winds

Navy

Grey

811-88136

Easy installation



Includes the frame, fabric and matching storage boots — all you need for a new and refreshed look for your pontoon boat

Burgundy

Beige

Length	Color	Kit No.	Skin/Boot Only No.	Frame Only No.
8'	Pacific Blue	811-88131	811-88138	
	Hunter Green	811-88127	811-88134	
	Grey	811-88126	811-88133	811-88139
	Navy	811-88128	811-88135	011-00139
	Black	811-88125	811-88132	
	Beige	811-88130	811-88137	

811-88129

Burgundy

Hunter Green

Length	Color	Kit No.	Skin/Boot Only No.	Frame Only No.
	Pacific Blue	811-88146	811-88153	
10'	Hunter Green	811-88142	811-88149	
	Grey	811-88141	811-88148	811-154
	Navy	811-88143	811-88150	011-134
	Black	811-88140	811-88147	
	Beige	811-88145	811-88152	
	Burgundy	811-88144	811-88151	

Black



North River Limited's newest collection harkens back to their roots as the original innovators in woven vinyl boat and RV flooring. Because North River has more experience in woven vinyl flooring than anyone else, they were able to develop the Seagrass collection with one truly important innovation. They've made it more affordable. This price point collection offers 9 styles in a variety of beautiful colors. The Seagrass collection utilizes a compact cushion (CC) felt backing with quicker drying flow-through technology. All styles are offered in stock at 8'6" widths.

SPECIFICATIONS:

Construction: Woven Vinyl

Fiber: Vinyl

Thickness: Approx. .125"

Backing: Compact Cushion (CC) Felt

Width: 8'6"

Pattern Repeat: N/A Warranty: 10 Year Limited

Use: Indoor and Outdoor Applications







Intertwine



Light

White




Ivory

Rugged

Grey

Any Way Goes

Mist



Cord

Greystone

Pebbel



Parchment

Camo Scape



Camo Weave



Soft


Khaki

Modern Shadow White

Earth

Moss

Exquisite





Organic






Weave Ivorv

Nouveau

Moss

Earth



Textured


Aged

Grev



White

Nouveau Teak




Perfection



Wood Grain

Ivorv





NEW PRODUCTS

ARCO



TS001

Tilt trim sender - Mercury

Mercruiser Stern Drives: MC-I, R, MR, Alpha, Alpha Gen II, Bravo drives

Sierra 18-7633; Mercury 805320A03; Mercruiser 17693A2; Mercruiser 63115A12; Mercruiser 805320A1; Mercruiser 88678A4; Mercruiser 88678A5; Mercruiser 96863A15

ARCO MADINE



VR600

Voltage Regulator For Mercury Outboard Engines

Engine Fitment 1995-2005 (25-40HP - 2 Cyl.) 1987-2007 (45-90HP - 3 Cyl.) 1989-2006 (90-125HP- 4 Cyl.) 1992-2000 (150-225HP- 6 Cyl.)

Cross reference Mercury Marine: 815279A2; CDI Electronics - 194-5279; Sierra: 18-5741; EMP: 300-26072

ARCO



TP001

Throttle Position Sensor for Mercruiser Inboard Engines

Engine Fitment GM 5.7L, 6.2L MPI (1997-Up), Volvo Penta

Cross reference Mercruiser: 803148; OMC Stern Drive: 3855296: Volvo Penta: 3855296

ARCO



IG001 Ignition Sensor - Mercruiser

GM V-6 & V-8 Engines w/Thunderbolt IV & V Ignition; 350MAG MPI; 4.3L Mercruiser; 5.0L Mercruiser; 1981 — 1997 5.7L Mercruiser engines with THUNDERBOLT electronic ignition

Sierra 18-5116-1; CDI Electronics E11-0005; EMP 87-08107; GLM 73110; Mercury 87-892150Q02

ARCO



IG002 Ignition Coil- mercury

Mercury 1970-2006 (6-40HP – 2 Cyl.); Mercury 1976-1997 (45-90HP – 3 Cyl.)

Mercury 1976-1997 (45-125HP – 4 Cyl.); Mercury 1976-2000 (90-225HP – 6 Cyl.)

Sierra 18-5186; CDI Electronics 184-0001; Force 339-7370A23; Mercury Marine 339-832757A4

ARCO



G003

Ignition Coil- Johnson/Evinrude

1972 – 2006 Johnson Evinrude Outboard Engines Sierra 18-5176; CDI Electronics 183-2366; EMP 300-00730; GLM 72080; Johnson Evinrude 0584561

ARCO



IG004

Ignition Coil- Johnson/Evinrude

1985-2006 (2.5-55HP – 2 Cyl.; 1995 (50HP – 3 Cyl.)

1995-2006 (80-115HP – 4 Cyl.); 1991-2006 (105-175HP – 6 Cyl.)

Sierra 18-5170; CDI Electronics 183-3740; EMP 300-05837; Johnson Evinrude 583298; Johnson Evinrude 583740; Mercury 300-05837; Mercury Marine 879614

ARCO



IG005

Ignition Coil- Mercury Mercury 2004 – 2018; 75HP – 400HP

Sierra 18-5154; CDI Electronics 184-0002; Mercury 339-880615T01; Mercury 339-8M0039809; Mercury 339-8M6002327; Mercury 880615T01; Mercury 8M0039809; Mercury 8M6007377

ARCO

IG006



Ignition Coil- Mercury

Mercruiser 496 MAG; Mercruiser 8.1L HO; Volvo Penta 8.1L; Volvo Penta 8.1GI; Volvo Penta 8.1GSI; Volvo Penta 8.1GXI

Sierra 18-7648; CDI Electronics E18-0006; Volvo Penta 3861267; Mercruiser 392-881732 Pleasurecraft R117012

APCO



IG007 Ignition Coil- OMC

1993 – 1996 5.0 Volvo Penta; 1993 – 1996 5.8 Volvo Penta; 1993 – 1996 OMC Stern Drive

Sierra 18-7492; CDI Electronics E18-0010; OMC 3854161; OMC 987680; Volvo Penta 3854161

ARCO



IG008

Ignition Coil-Mercury

Sierra 18-5442; EMP 300-03755; Mercruiser 350 — 8.1L Stern Drive Engines

Fits GM V-8 engines with Delco; HEI ignitions (except MPI engines with ECM 555); 1994 – 1996 350 MAG V-8; 1994 – 1996 5.7L; 1997 350 MAG ALPHA; 1997 5.7LX BRAVO; 1998 5.7L EFI

ARCO



IG009 Ignition Coil- Honda

Honda 2004 – 2007 135HP – 150HP Outboard

Sierra 18-7494; CDI Electronics 180-0001; Honda 30520-PNA-007; Honda 30520-RRA-007

ARCO



IG010

Ignition Coil for Mercruiser Inboard Engines

Engine Fitment 2004-2008 (75,90,115 PRO X5, & 125HP - 3 Cyl. DFI) 2008 - Up (200-250 DFI, 200 JET & 200 X5) 2002-2008 (30 & 40HP - 3 Cyl.) (EFI, 50 & 60HP - 4 Cyl. 4-Stroke EFI) SCI Racing Sterndrive (600,662,700, 850,1025,1075,1200) (1100 & 1250 QC4V) (240HP Sportlet) 2002-2004 (200-250HP EFI, 3.0L - 6 Cyl. DFI)

Cross reference Mercury: 300-8M0077471, 339-879984A1, 339-879984T00

ARCO



G011

Ignition Coil for Mercruiser Inboard Engines

Engine Fitment 2005- UP (110 Jet, 135, 150, 175, 200, 225 & 250HP) DFI Outboard 1100,1350 & 1650

QC4V Race Sterndrives

Cross reference Mercury: 339-883778A01, 339-883778A02

ARCO



IG012 Ignition Coil for Mercruiser Inboard Engines

Engine Fitment 1998-2006 (135,200,225,250 & 300HP)

Cross reference Mercury: 339-850227, 339-856991A1

ARCO



IG013 Ignition Coil for Mercruiser Inboard Engines

Engine Fitment External Resistor, GM block (V6 & V8) Engines with Thunderbolt IV & V Mercruiser

Cross reference Mercruiser: 26433, 32193, 32193A2, 33205, 38547, 392-806529A1, 898253T24;

OMC Stern Drive: 3853548, 915735; Volvo Penta: 835998; Chrysler Inboard: 201522, 2495531; Crusader: 37068

ARCO



DC001 Distributor Cap for Mercruiser

Inboard Engines

Engine Fitment GM V-8 Motors with Thunderbolt IV & V HEI Ignitions

Cross reference 16457A4; 43557; 43557A1; 805759A1; 805759A2; 80579A5; 805759T1; 805759T2: 90746A1

ARCO



DC003 Distributor Cap for Mercruiser Inboard Engines

Engine Fitment V8: 5.0L, 5.7L, 6.2L MPI motors with 555 ECM

Cross reference Mercruiser: 884792, 898253022, 898253T22, 8M6001106; PleasureCraft: RA108009; Volvo Penta: 3858975; Indmar:

ARCO



DC004 Distributor Cap for Mercruiser Inboard Engines

Engine Fitment Late model (V6) 4.3L Alpha.Bravo Mercruiser, Volvo Penta

Cross reference Mercruiser: 888731, 898253T23; Volvo Penta: 3859019

ARCO



DC006 Distributor Cap for Mercruiser Inboard Engines

Engine Fitment PCM Models MP 5.0L, 5.7L (2002-05), Mercruiser Late model (V6, & 8) Alpha/ Bravo 350 Maq, 5.0L, & MX 6.2L

Cross reference Mercruiser: 804420, 850484, 850484T, 850484T2; OMC Stern Drive: 3854331; Volvo Penta: 3854331

ARCO



DC007 Distributor Cap for Mercruiser Inboard Engines

Engine Fitment GM Style (module in cap) distributors (V8) excluding MPOI engines with ECM 555 Crusader, Mercruiser, OMC, Volvo Penta

Cross reference Indmar:556038; Crusader:38070; Mercruiser:804418, 808483, 808483T, 808483T3

ARCO



DR001 Rotor for Mercruiser Inboard Engines

Engine Fitment M style module in cap (V6) applications, Mercruiser, OMC, Volvo Penta Inboard

Cross reference Mercruiser: 804424, 850485, 8504851, 898253012, 8M0062084

ARCO



DR002 Rotor for Mercruiser Inboard Engines

Engine Fitment PCM Models MP 5.0L, 5.7L (2002-05), Mercruiser Late model (V6, & 8) Alpha/ Bravo 350 Maq, 5.0L, & MX 6.2L

Cross reference Mercruiser: 884790, 898253013, 8M6001222; Volvo Penta 3858977; PleasureCraft: R103011

ARCO



DR003 Rotor for Mercruiser Inboard Engines

Engine Fitment GM style module in cap (V8) Electronic Ignition Distributor

Cross reference Crusader: 38071; Indmar: 556084; Mercruiser: 804423, 808484, 8084841, 898253010, 8M6001253; OMC Stern Drive: 3854549; Volvo Penta: 3854549, 3862014

ARCO



DR004 Rotor for Mercruiser Inboard Engines

Engine Fitment GM (V8) 5.0, 5.7, 7.4L engines Mercruiser Thunderbolt Electronic Ignition

Cross reference 13524A1; 13524A3; 13524A5; 13524T1; 19405A3; 90576A2

ARCO



CS001 Contact Set for Mercruiser Inboard Engines

Engine Fitment GM (4 & 6 Cyl) Engines with Conventional Delco Ignition

Cross reference Mercruiser: 34235, 34235T, 35637; OMC Stern Drive: 380538; Chris-Craft: 16.69-00049

ARCO



5415 OEM Compatible Starter for Mercury outboard engines

Engine Fitment Mercury Marine 80HP - 115HP 4-stroke outboard engines . Mercury Marine 2009-2010 80HP Jet Optimax engines

Cross reference Mercury: 879345T77, 8M0038387



www.mcdurmon.com





30470-A

Magnet Starter 14" Flywheel

NEW OEM Quality Hi Torque, Permanent Magnet, Gear Reduction Starter. 1.7 KW

Fits: Mercruiser, Volvo Penta, OMC, Marine Power and others. Will replace 9 tooth drive OEM versions 3.0 - 8.1L with 14" flywheel. Anodized casting, nickel plated brush holder.





6258

Tilt and Trim Motor

Heavy-duty. 2-wire connection. 4-bolt mount. Includes 0-ring. Ring terminal ends. Fits: Yamaha 2005-Up 75 hp 4 stroke; 2005-Up 90 hp 4 stroke.





60125

Alternator

12 volt. 55 amp. Internal regulator. Negative ground. 2-inch mounting foot. Single groove pulley included. Fits: OMC Cobra. Replaces: Prestolite/Motorola





BI-0702

Inboard Battery Isolator

1 alternator, 2 batteries. 70 amp max.





M525

Reservoir Kits for Mercury

Includes reservoir, cap, O-rings, mounting screw. Fits: ARCO 6275






SW058

Solenoid

Isolated base. 12 volt. Fits: Mercruiser, Mercury. Replaces: Mercury 89-96158

ARCO



MBK450

Mounting Bolt Kit

For gear reduction starters. Required when replacing a 10MT starter with a gear reduction starter. Will not fit metric engines or 10MT starters. Fits: ARCO 30470 starter, 2 long mounting bolts, 3/8"-16 N.C. threads; all Delco gear reduction starters with staggered bolt mounting pattern





R151

Mercury Relay

12 volt, 30 amp. Fits: Mercury & Mariner Outboards

ORDER ONLINE! Visit www.mcdurmon.com for full Product Listing!



EURO

PERIMETER-LIGHTED BLACK DIAL WITH BOLD WHITE GRAPHICS, BLACK ALUMINUM BEZEL, CONTOURED WHITE POINTER, AND FLAT GLASS LENS.

CATALOG	SIZE	DESCRIPTION	
DEPTH SO	DEPTH SOUNDERS		
F12850	2"	Depth Sounder (Transom Mounted Transducer)	
TACHOME	TERS		
F32804	4"	Tachometer (6000 RPM) (Gas) (Inboard & I/O)	
F32805	4"	Tachometer (7000 RPM) (All outboard)	
F32832	4"	Tachometer with Hourmeter (6000 RPM) (Gas) (Inboard)	
F32840	4"	Tachometer with Hourmeter (7000 RPM) (Gas) (Outboard)	
F32850	4"	Tachometer (7000 RPM) with SystemCheck Indicator (Gas) (J/E Outboard)	
GPS SPEEDOMETERS			

GPS SI	PEEDO	OMETERS

GP3 SPEE	DOWELE	K)			
F32816	4"	Speedometer (60 MPH) (GPS) (Studded)			
INDICATO	INDICATORS				
F12801	2"	Fuel Level Gauge (E-1/2-F)			
F12803	2"	Oil Pressure Gauge (80 PSI)			
F12860	2"	Voltmeter (20-32 VDC)			
BLANK G	AUGES				
F32861	4"	Blank gauge fill			
F12861	2"	Rlank gauge fill			



CHESAPEAKE WHITE STAINLESS STEEL

PERIMETER-LIGHTED WHITE DIAL WITH STYLISH BLUE AND BLACK GRAPHICS, POLISHED STAINLESS STEEL BEZEL, CONTOURED BLACK

POINTER, AND DOMED GLASS LENS.				
CATALOG	SIZE	DESCRIPTION		
DEPTH SO	DEPTH SOUNDERS			
F13852	2"	Depth Sounder with Air and Water Temperature (Transom Mounted Transducer)		
TACHOMET	TERS			
F33807	4"	Tachometer (6000 RPM) (Gas) (Inboard & I/O)		
F33817	4"	Tachometer (7000 RPM) (All outboard)		
MULTI-FUNCTION INSTRUMENTS				
F33851	4"	Multifunction [Fuel Level Oil PSI (80 PSI) Water Temp (120-220 F) Voltmeter (10-18 VDC)]		
INDICATOR	RS			
F13801	2"	Fuel Level Gauge (E-1/2-F)		
F13802	2"	Oil Pressure Gauge (80 PSI)		
F13807	2"	Trim Gauge (Mercury/Mariner/Mercruiser/Volvo DP/Yamaha-2001 and newer)		
F13808	2"	Trim Gauge (OMC Cobra (1993-1994) / Volvo SX (MD models only))		
F13805	2"	Voltmeter (10-16 VDC)		





CATALOG	DESCRIPTION
KTF001	Boxed Set - Inboard - Speedo (60 MPH) (Mech) Tach (6000 RPM) Fuel Level Voltmeter (10-16 VDC) Water Temp (100-250 F) Oil PSI (80 PSI)
KTF063	Boxed Set - Inboard - Speedo (60 MPH) (GPS) Tach (6000 RPM) Fuel Level Voltmeter (10-16 VDC) Water Temp (100-250 F) Oil PSI (80 PSI)
KTF002	Boxed Set - Outboard - Speedo (60 MPH) (Mech) Tach (7000 RPM) Fuel Level Voltmeter (10-16 VDC)

Chesapeake White Stainless Steel

Perimeter-lighted white dial with stylish blue and black graphics, polished stainless steel bezel, contoured black pointer, and domed glass lens.



Polished Stainless Steel Bezel, Flat Glass Lens, Perimeter Lighted Spun Aluminum dial with Gold and Black graphics. Gold increments and Logo on dial are Embossed. All instruments include two piece Newport Pointer with White Hub. Boxed Set - Inboard - Speedo - 60 MPH) (Mech) | Tach (6000 RPM) | Fuel Level | Voltmeter (10-16 VDC) | Water Temp (100-250 F) | Oil PSI (80 PSI)



F91109 **Pitot Kit** (Universal)





F90512 Sender

(Oil Pressure) (1/8 NPTF American 80 PSI) (Single Standard) Combined with our Depth Sounders and other electronic instrumentation these transducers and senders offer a wide range of options to fit your needs.





F90401 Sender

(Temperature) (1/8) (American Single Standard) Combined with our Depth Sounders and other electronic instrumentation these transducers and senders offer a wide range of options to fit your needs.





SN2011 **Transom Mounted Depth** Transducer

Combined with our Depth Sounders and other electronic instrumentation these transducers and senders offer a wide range of options to fit your needs.



F12861 - 2" F32861 - 4" **Blank Gauge Fill** To be in control, you need the best equipment available. McDurmon stocks a full line of the highest quality remote controls and cables in the industry.

https://store.mcdurmon.com/ controls/









SS-137-XX (XX=length) Safe-T QC® Stern Drive Rotary Steering System

Just right for power steered boats in which No FeedBack™ systems are not required. Applications include virtually all power-assisted stern drive boats with wheels up to 16" diameter. Replaces all Safe-T helms made since 1968 with little or no dash modifications. For single station use only. Kit includes helm, bezel, cable, and hardware. Available in 1-foot increments from 8 to 20 feet.

Steering wheel not included. Twin cable not available in kit form.



SS-141-XX (XX=length)

"The Rack" Back Mount Single Cable Steering Kit

Suitable for virtually all power-assisted stern drive boats with wheels up to 16" diameter. For single station use only.

Kit includes helm, bezel, cable, and hardware.

Steering wheel not included.



Description	Part Number
Side Mount - Chrome	
Side Mount, Chrome Handle, Black and White Inserts, Stop Switch Neutral Interlock I/O and OB	CHX8050P
Xtreme Side Mount Control, Chrome with Engine Cut Off Switch, Trim Switch	CHX8051P
Xtreme Side Mount Control, Chrome with Engine Cut Off Switch, Trim Switch, Tilt Switch	CHX8052P
Single Top Mount - Chrome	
Single Top-Mount, Chrome Handle, Chrome Cover, Chrome and Black Inserts, with Trim	CHX8141P
Xtreme Single Top Mount Control, Chrome with Neutral Interlock on Handle, Trim Switch	CHX8151P
Xtreme Single Top Mount Control, Chrome with Neutral Interlock on Handle, Trim Switch, Tilt Switch	CHX8152P
Dual Top Mount - Chrome	
Xtreme Dual Top Mount Control, Chrome (no Neutral Interlock on Handle)	CHX8240P
Xtreme Dual Top Mount Control, Chrome, Trim Switch (no Neutral Interlock on Handle)	CHX8241P
Xtreme Dual Top Mount Control, Chrome, Trim Switch, Tilt Switch (no Neutral Interlock on Handle)	CHX8242P
Center Console Side Mount - Chrome	
Xtreme Center Console (Side Mount), Chrome with Engine Cut Off Switch, Trim Switch, Tilt Switch	CHX8352P
Side Mount - Black	
Side Mount, no trim, no tilt no cut off	CHX8553P
Xtreme Side Mount Control, Black with Trim Switch (no Cut Off Switch)	CHX8554P
Side Mount Deluxe (4 wire)	CHX8555P
Single Top Mount - Black	
Xtreme Single Top Mount Control, Black, Trim Switch (no Neutral Interlock on Handle)	CHX8641P
Center Console Side Mount - Black	
Xtreme Center Console (Side Mount) Control, Black with Engine Cut Off Switch, Trim Switch	CHX8851P





Outboard and Stern Drive Cables



OEM direct-replacement type cables are designed to fit BRP®, Mercury®, Mariner®, OMC®, Volvo®, and similar OEM engine control heads which use a proprietary control cable connection.

Features:

- Premium cables have a heavy jacket and the TFXTREME° splined, coated core element for maximum smoothness with minimal lost motion.

 (4"minimum bend radius)
- Standard cables use stainless steel LubriCore™ core wire for smooth operation and long life. (8" minimum bend radius)

Year	Engine Application	SeaStar Part No. (XX=Length)	Uflex Part No. (XX=Length)
pre-1993	Mariner (40 hp and below) Pro Pedal Interlock (with Mercury controls)	CC-210-XX	C16-XX
1965-date	Mercruiser, Mercury, Mariner (All Inboards) (with Mercury controls) For Mariner 1993 and older, 40 hp and under, use CC-210-XX	(C-179-XX CCX-179-XX п-X⊤пние	C5-XX
			S + ()
pre-1979	OMC Stern Drive, and Johnson/Evinrude (with OMC controls)	СС-170-ХХ	C4-XX
1979-date	OMC Stern Drive, OMC COBRA, Johnson/Evinrude (with OMC controls)	СС-205-ХХ ССХ-205-ХХ тежтееме	C14-XX
•			8.0
All Years	US Marine "L-Drive" Shift Cable (with original equipment controls)	СС-213-ХХ	N/A
1994-date	Volvo, OMC SX Engines (with original equipment controls)	(CX-214-XX т =Хтнач=	C25-XX
	4		
Gen II Control Box	Mercruiser, Mercury, Mariner Gen II Controls Only (with Mercury controls)	(C-189-XX (CX-189-XX т≠Жтнег∨е	C36-XX
1965-date	Mercury (Mercury 3600 type cable)	ССХ-630-ХХ т -Ж т наме	N/A
		•	
	Call 1 900 621 4120 Eav 1 999		






Description	Pai	rt No.
Single Cable	ROTECH-XX	(XX=length)
Dual Cable	ROTECH2-XX	(XX=length)

Rotech™ Rotary Steering System

Convenient kit, especially suitable as replacement steering, that includes helm, bezel and cable. The cable is available in 1-ft increments from 8 to 20 feet (specify cable length when ordering).

Steering wheel not included.





Description	Part No.
Without Trim	B310B-NT
With Trim	B310B

Single Lever Side Mount Control

Can be used on outboards, sterndrives and inboard applications. The universal control design allows for the connection of 33C Universal style cable and OMC (Johnson/Evinrude) cables with adapters included. Mercury Gen I cables can be easily connected with the addition of the K35 connection kit.





RACKTECH-XX (XX=length) Rack and Pinion Steering System

Single cable rack steering. Convenient kit, especially suitable as replacement steering, that includes helm, bezel and cable. The cable is available in 1-ft increments from 8 to 20 feet (specify cable length when ordering).

Steering wheel not included.





B90

Single Lever Side Mount Control

Single lever/dual action control to operate both throttle and shift. Suitable for any type of boat with outboard, inboard or I/O power plants. Installs horizontally or vertically on the starboard or port side of the boat. Positive lock-in neutral to prevent accidental gear engagement. Pull-out handle disengages shift for warm-up.

For use with all Uflex engine control cables except C22 or C4 cables.

NOTE: OMC cables require #K51 connection kit. Merc/Mariner cables require #K35 connection kit.



Description	Part No.
*Without Trim	B183
*With Trim	B184
Merc & I/O	B184M

Single Lever Side Mount Control

Single lever/dual action control to operate both throttle and shift. Suitable for any type of boat with outboard, inboard or I/O power plants. Installs horizontally or vertically on the starboard or port side of the boat. Positive lock-in neutral to prevent accidental gear engagement.

Pull-out handle disengages shift for warm-up.

For use with all Uflex engine control cables except C22 or C4 cables.

*For use with Force, Honda, Suzuki, Yamaha and OMC/Johnson Evinrude.





Description	Part No.
Light Grey Finish	B47
Black Finish	B49

Two Lever Side Mount Controls

Suitable for all outboard engines. Left or right side mount installation.

Made of nylon fiberglass with anodized aluminum levers.


For use with all Uflex engine control cables:

C14 with K23 connection kit (OMC new style)

C4 with K24 connection kit (OMC old style)

C22, C8 and all 33C type cables with K25 connection kit.







Original Engine Manufacturer

When your customers demand OEM quality, McDurmon Distributing delivers. Old or New, we have the OEM Evinrude/ Johnson parts and accessories you are looking for.





Phone 800.621.4130 | Fax 888.366.2424 | mcdurmon.com



OVER 150,000 Products Available Online

From Top Marine Brands

























